



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY.

MORBIDITY AND MORTALITY TABLE, CITIES OF THE UNITED STATES, FOR WEEK ENDED MAY 27, 1911.

Cities.	Popula- tion, United States census 1910.	Total deaths from all causes.	Diph- theria		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having over 500,000 inhabitants.														
Baltimore, Md.	558,485	192	8	...	93	1	15	1	31	19	8	1
Boston, Mass.	670,585	238	42	1	171	2	56	1	49	24	6	2
Chicago, Ill.	2,185,283	608	135	21	286	7	204	15	4	...	165	68	23	3
Cleveland, Ohio.	560,663	...	22	...	58	5	98	7	22	22	5	1
New York, N. Y.	4,766,883	1,406	309	41	1,446	26	479	25	547	152	39	6
Philadelphia, Pa.	1,549,008	505	60	3	284	11	63	1	93	56	15	1
Pittsburg, Pa.	533,905	135	12	1	88	1	20	39	14	9	1
St. Louis, Mo.	687,029	204	35	3	152	2	69	11	10	...	37	20	4	...
Cities having from 300,000 to 500,000 inhabitants.														
Cincinnati, Ohio	364,463	...	11	...	29	...	74	2	4	...	22	21	1	1
Milwaukee, Wis.	373,857	105	7	...	36	3	20	2	1	...	22	12	9	2
Newark, N. J.	347,469	103	11	20	2	14	19	5	...
New Orleans, La.	339,075	141	6	...	69	1	3	...	3	...	29	21	13	...
San Francisco, Cal.	416,912	132	4	...	57	...	11	...	1	...	19	20	4	1
Washington, D. C.	331,069	113	5	...	327	1	6	...	1	...	23	16	10	1
Cities having from 200,000 to 300,000 inhabitants.														
Jersey City, N. J.	267,779	66	...	1	1	5
Kansas City, Mo.	248,381	62	2	1	10	...	7	...	10	...	5	6	3	1
Providence, R. I.	224,326	56	8	...	4	...	7	...	1	...	8	7	1	1
Seattle, Wash.	237,194	46	3	...	97	...	8	...	3	...	5	7	5	...
Cities having from 100,000 to 200,000 inhabitants.														
Bridgeport, Conn.	102,054	19	3	...	36	...	5	4	3	1	...
Cambridge, Mass.	104,839	38	6	...	27	...	4	11	3	1	...
Columbus, Ohio.	181,548	51	2	...	28	...	2	...	1	...	9	4	3	1
Dayton, Ohio.	116,577	16	11	2	...
Fall River, Mass.	119,295	28	2	...	21	...	1	3	3
Grand Rapids, Mich.	112,571	28	1	...	11	1	3	1	3	1
Lowell, Mass.	106,294	49	6	7	3	2	...
Memphis, Tenn.	131,105	...	1	...	5	...	1	...	1	...	3	7	1	1
Nashville, Tenn.	110,364	45	1	...	3	4	5	4	...
Oakland, Cal.	150,174	29	26	1	4	1	3	...	1
Omaha, Nebr.	124,096	...	3	...	6	...	3	...	7	4	2	1
Richmond, Va.	127,628	42	2	...	26	1	12	6	3	...
Toledo, Ohio.	168,497	46	6	2	2	...	6	1	7	1
Worcester, Mass.	145,986	37	10	...	15	...	18	2	4	3
Cities having from 50,000 to 100,000 inhabitants.														
Altoona, Pa.	52,127	10	2	...	1	1
Bayonne, N. J.	55,545	11	1	...	17	...	4	1
Brockton, Mass.	56,878	14	1	...	57	...	4	3	1
Camden, N. J.	94,538	...	11	1	4	...	2	1
Canton, Ohio.	50,217	8	4
Des Moines, Iowa.	86,368	...	1	4
Duluth, Minn.	78,466	24	1	...	50	...	5	2	2
Elizabeth, N. J.	73,409	19	1	1	2	...	14	1	2	2
Evansville, Ind.	69,647	17	36	1	...	3	3
Fort Wayne, Ind.	63,933	21	4	...	12	...	1	6	1	2	...
Harrisburg, Pa.	64,186	16	2	...	13	...	1	6	1	1	...
Hartford, Conn.	98,915	31	6	1	5	...	10	3	1
Hoboken, N. J.	70,324	...	5	...	10	...	2
Jacksonville, Fla.	57,699	29	7	...	5	...	18	8	4	1
Johnstown, Pa.	55,482	21	21	...	1	1	1
Lawrence, Mass.	85,892	30	8	...	1	4	5	1	...
Lynn, Mass.	89,336	...	14	...	6	6	2
Manchester, N. H.	70,063	36	7	...	1	...	2	...	3	3
New Bedford, Mass.	96,652	26	2	7	...	1	2
Oklahoma City, Okla.	64,205	25	7	1	1	...	2	2	2	2

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended May 27, 1911—Continued.

Cities.	Popula- tion, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 50,000 to 100,000 inhabitants—Continued.														
Passaic, N. J.	54,773	18	4		15	1	1					2		
Portland, Me.	58,571	19				1	2					3	2	
Reading, Pa.	96,071	29	1	1	10		8				1	7	3	
San Antonio, Tex.	96,614	46				2						5	4	2
Schenectady, N. Y.	72,826	17			3		3				9	12		
Somerville, Mass.	77,236		1	1	1		1							
South Bend, Ind.	53,684	15	2		5		5	2					3	
Springfield, Ill.	51,678	16					2		1					
Springfield, Mass.	88,926	26	3		23		4				9	3		
Tacoma, Wash.	83,743		1				2							
Trenton, N. J.	96,815	34	3				2				7	4	4	
Waterbury, Conn.	73,141		4		3		8				2	1		
Wichita, Kans.	52,450	12			11						1		2	
Wilkes-Barre, Pa.	67,105	14	2		7						5			
Wilmington, Del.	87,411	24										2		
Yonkers, N. Y.	79,803	23	3		55		16	1			8	4		
Cities having from 25,000 to 50,000 inhabitants.														
Atlantic City, N. J.	46,150	11			2		1							
Aurora, Ill.	29,807		1				1							
Bay City, Mich.	45,166		4		4		9				1		1	
Berkeley, Cal.	40,434	11			5							1		
Binghamton, N. Y.	48,443	17					1				3	3		
Brookline, Mass.	27,792	8	1		9		3							
Chelsea, Mass.	32,452	14	2		9		6				1	1	1	
Danville, Ill.	27,871	6			1				3		1	1		
Dubuque, Iowa.	38,494	11												
East Orange, N. J.	34,371	7	2		2		1				3		1	
Elmira, N. Y.	37,176	7	7		31							1		1
Everett, Mass.	33,484	11	1		10		1				6			
Haverhill, Mass.	44,115		2		3		1				5			
Kalamazoo, Mich.	39,437	12			1						3	1	1	
Knoxville, Tenn.	36,346	13							12					
La Crosse, Wis.	30,417	12			1		3	1				2		
Lancaster, Pa.	47,227	18	2	1	7		1				2		1	1
Lexington, Ky.	35,099	23			1		1				2	2	1	
Lima, Ohio.	30,508	6			1		2					1		
Lynchburg, Va.	29,494	5			31				1				1	
Malden, Mass.	44,404	8	1		35		2				2			
McKeesport, Pa.	42,694	11	2				2				1		1	
Montgomery, Ala.	38,136	16			2		1		1		1		2	1
Mount Vernon, N. Y.	30,919	0	1		1		4							
New Britain, Conn.	43,916	5	3		1						3			
New Castle, Pa.	36,280		1				2					2		
Newport, Ky.	30,309	12	1	1			5				2	2		
Newton, Mass.	39,806	9			20		2				3			
Niagara Falls, N. Y.	30,445	18	1		4	1						1	5	3
Norristown, Pa.	27,875	10	2	1	6						1	1		
Pasadena, Cal.	30,291	14			2						1	2		
Pittsfield, Mass.	32,121	9	1								1			
Portsmouth, Va.	33,190	14			6		1		1					
Poughkeepsie, N. Y.	27,936	8			12		3				1			
Roanoke, Va.	34,874	11	1		14		2				4	4		
Rockford, Ill.	45,401				150		9		1				2	
San Diego, Cal.	39,578	18			3						3	3	2	1
Shenandoah, Pa.	25,774	11		1										
Superior, Wis.	40,384	10	2	1			3					1		
Taunton, Mass.	34,259	11									1		1	
Waltham, Mass.	27,834	9	1		6									
West Hoboken, N. J.	35,403	9	5		5		2					1		
Williamsport, Pa.	31,860	5			6							1		
Zanesville, Ohio	28,026	7											1	

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended May 27, 1911—Continued.

Cities.	Popula- tion, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
<i>Cities having less than 25,000 inhabitants.</i>														
Ann Arbor, Mich.	14,817	5			2						6	1	1	
Beaver Falls, Pa.	12,191	0			2									
Braddock, Pa.	19,357	10	2		11									
Butler, Pa.	20,728	5			1									1
Cambridge, Ohio.	11,327	0												
Camden, S. C.		1					1					1		
Carbondale, Pa.	17,040	9					1	2						
Clinton, Mass.	13,075	0									1			
Coffeyville, Kans.	12,687	4									1		2	
Columbus, Ga.		4										1		
Columbus, Ind.		1							2					
Concord, N. H.	21,497	4			2							1		
Cumberland, Md.	21,839	4			1								1	
Dunkirk, N. Y.		5										1	1	
Galesburg, Ill.	20,089	2												
Gloucester, Mass.	24,398	8										1		
Harrison, N. J.	14,498	3	1										1	
Hyde Park, Mass.	15,507	2	1											
Kearny, N. J.	18,659	4	1								1			
La Fayette, Ind.	12,081	2			1		1							
Lebanon, Pa.	19,240	7												
Manistee, Mich.	12,381						1							
Marinette, Wis.	14,610	2											3	1
Marlboro, Mass.	14,579	6										1	1	
Massillon, Ohio.	13,879				1									
Medford, Mass.	23,150	4	1				1				1			
Melrose, Mass.	15,715	5			4						1			
Moline, Ill.	24,199	8			7		3					2	2	
Montclair, N. J.	21,550	6			1									
Nanticoke, Pa.	18,877	2	1	1										
Newburyport, Mass.	14,949	6									3			1
North Adams, Mass.	22,019	2			1						2			
Northampton, Mass.	19,431	4	3		1		5							
Palmer, Mass.		2												
Palo Alto, Cal.	4,486	0												
Peekskill, N. Y.		3			12						2			
Plainfield, N. J.	20,550	5	1								4			
Pottstown, Pa.		4			1		1					4	2	
Sandusky, Ohio.		3											1	
Saratoga Springs, N. Y.		4									2	1		
South Bethlehem, Pa.	19,973	5	2	1	1						2			
Steelton, Pa.	14,246	3	2		3						2			
Warren, Ohio.	11,080	0												
Wilkinsburg, Pa.	18,294	5			1		2				2			
Woburn, Mass.	15,308	5	2		3						2			

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES (untabulated).

ARKANSAS—Little Rock.—Month of May, 1911. Population, 45,941. Total number of deaths from all causes not reported. Cases reported: Diphtheria 1, measles 2, scarlet fever 3, smallpox 4, typhoid fever 3.

COLORADO.—Three months ended March 31, 1911. Population, 799,024. Total number of deaths from all causes 3,210, including diphtheria 24, measles 63, scarlet fever 44, tuberculosis 537, typhoid fever 40. Cases reported: Diphtheria 258, measles 2,316, scarlet fever 669, smallpox 757, typhoid fever 116.